

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	((("6023697") or ("6304864") or ("6311194") or ("6154213")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 17:37
S2	4890	707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:48
S4	1572	707/5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:49
S5	57	707/5.ccls. and (semantic adj (information or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:49
S6	393	707/5.ccls. and semantic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 14:50
S7	811	707/5.ccls. and (semantic or knowledge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 11:37
S8	749	706/45.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:17
S9	258	706/50.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:17

S10	62	700/49.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 10:47
S11	1710	semantic near5 (linking or links or information or data or meaning) same (maintain or receive or retrieve or add or remove or delete or present or deliver or query or request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 13:27
S12	4253	(plurality near5 server) and (client same (user near10 interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 13:29
S13	43	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:16
S15	6329	(semantic near5 (information or data or link or attribute or relationship)) or (semantically near5 (linking or relating or attributing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:19
S16	65	S15 and (predetermined near5 (theme or style or look or presentation or orientation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:34
S17	619	S15 and (knowledge adj base)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:34

S18	34	(US-20010003817-\$ or US-20010037328-\$ or US-20010053968-\$ or US-20020095411-\$ or US-20020123986-\$ or US-20020161757-\$ or US-20020169771-\$ or US-20030004909-\$ or US-20040030421-\$ or US-20040161734-\$).did. or (US-5555408-\$ or US-5940821-\$ or US-5953718-\$ or US-6041323-\$ or US-6178416-\$ or US-6182067-\$ or US-6256627-\$ or US-6304864-\$ or US-6311194-\$ or US-6453315-\$ or US-6457002-\$ or US-6460034-\$ or US-6470333-\$ or US-6519578-\$ or US-6564205-\$ or US-6615208-\$ or US-6636848-\$ or US-6658412-\$ or US-6665659-\$ or US-6741986-\$ or US-6778951-\$ or US-6829613-\$ or US-6834287-\$ or US-6842730-\$). did.	US-PGPUB; USPAT	OR	ON	2005/03/16 16:35
S19	613	S17 not S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:49
S20	3	"information nervous system".ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 16:57
S21	46221	(information or knowledge) same ((retrieval or retrieve or acquire or collect) and (manage\$4 or maintain\$4) and (deliver\$3 or send\$4 or transfer\$4) and (present\$6 or show\$3 or layout))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 17:30
S22	46549	(information or knowledge or metadata) same ((retrieval or retrieve or acquire or collect) and (manage\$4 or maintain\$4) and (deliver\$3 or send\$4 or transfer\$4) and (present\$6 or show\$3 or layout))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 17:31
S23	123	S22 and ((first or second or plurality) adj (server or servers)) and (semantic or semantically) near10 (link or linking or linked or information or relationship)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 17:33

S24	5150	(meta\$data near5 (repository or database or datastore or system or server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 13:23
S25	636333	(meta\$data or knowledge or information or semantic) near5 (repository or database or datastore or system or server or base)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 13:24
S26	163813	S25 and ((multiple or plurality or few or (first and second) or many) adj5 (server or system or computer or apparatus or machine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 13:26
S27	2813	S25 and ((semantic or semantically) near5 (link or linking or relating or relationship or attribute or meaning or related or linked))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 13:27
S28	1626	S26 and ((semantic or semantically) near5 (link or linking or relating or relationship or attribute or meaning or related or linked))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 13:27
S29	1214	S28 and (((user adj interface) or GUI or interface) with (client or user))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 13:29
S30	616	S29 and ((user near5 (query or queries or preferences or options or customization)) or (custom or customize or customization)) and (present or presenting or presentation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 13:30
S31	6	((("20030065663") or ("20040267729") or ("5228116"))). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 18:24

S32	2	("6721726").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 18:24
S33	2	("6453315").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 17:22
S34	10675	knowledge adj (base or system or (base adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 17:38
S35	80203	(knowledge or information) adj (base or system or (base adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 17:38
S36	13881	S35 and ("first server" or "second server" or ((multiple or few or plurality or many) near5 (server or database or machine)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 17:39
S37	1171	S36 and (semantic near5 (link or data or information)) or ("domain-specific" near5 (data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 17:40
S38	747	S37 and (customiz\$4 or preferenc\$3 or custom) and ("user interface" or interface or GUI or UI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 17:41
S39	13	S38 and "semantic attributes"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 17:44

S40	1	S38 and ((intrinsic or extrinsic) near5 schema)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 18:00
S41	1	(intrinsic or extrinsic) adj schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 18:00
S42	33639	S38 or ((related or non\$related) adj (information or schema or layout or plan or outline))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 18:01
S43	341	S38 and ((related or non\$related) adj (information or schema or layout or plan or outline))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 18:02
S44	341	S38 and (((intrinsic or related) or (extrinsic or non\$related)) adj (information or schema or layout or plan or outline))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 18:24
S45	413	sheth.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 18:24
S46	15	S45 and "knowledge"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 18:25
S47	90	bates.in. and knowledge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 18:27

S48	2	rennison.in. and knowledge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 18:28
S49	13	liddy.in. and knowledge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 18:28
S50	15	S48 or S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 18:28
S51	4241	semantic near10 information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 17:56
S53	4584	semantic near3 (information or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 17:56
S54	733	(knowledge and (retriev\$4 or deliver\$5 or present\$5 or manag\$5)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:33
S55	61	S54 and semantic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:20
S56	21	S54 and ((first or second) adj3 object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:29

S57	1203	(create or build or make) near5 ((neural or nervous) near2 network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:30
S58	22	S57 and (knowledge near5 (retriev\$5 or deliver\$5 or present\$5 or manag\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:31
S59	605	(creat\$4 or instantiat\$4 or mak\$4) near5 (object or node) near5 (associat\$4 near2 (information or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:44
S60	118	S59 and schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:46
S61	90259	S60 and knowledge or ((neural or nervous) near2 (system or network))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:47
S62	70	S60 and (knowledge or ((neural or nervous) near2 (system or network)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:48
S63	28	S60 and ((knowledge near3 (base or retrieval or repository)) or ((neural or nervous) near2 (system or network)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:48
S64	605	(creat\$4 or instantiat\$4 or mak\$4) near5 (object or node) near5 (associat\$4 near2 (information or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:06

S65	118	S64 and schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:11
S66	28	S65 and ((knowledge near3 (base or retrieval or repository)) or ((neural or nervous) near2 (system or network)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:12
S67	53	S64 and ((knowledge near3 (base or retrieval or repository)) or ((neural or nervous) near2 (system or network)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:53
S68	619	intrinsic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:52
S69	149318	intrinsic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:52
S70	1	intrinsic adj schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:53
S71	7663	(intrinsic or extrinsic) and ((knowledge near3 (base or retrieval or repository)) or ((neural or nervous) near2 (system or network)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:53
S72	5573	S71 and (link\$3 or relation\$5) and (attribute or characteristic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:56

S73	1369	S72 and (infer\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:01
S74	93	S73 and (semantic\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 13:56
S75	0	S64 and S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:02
S76	21	S64 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:02
S77	4409	(creat\$4 or instantiat\$4 or mak\$4) near5 ((knowledge or nervous or neural) near3 (web or base or network or system or repository))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:12
S78	67	S77 and (semantic near3 (link or attribute))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:12
S79	5194	(creat\$4 or instantiat\$4 or mak\$4 or build\$4) near5 ((knowledge or nervous or neural) near3 (web or base or network or system or repository))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:12
S80	84	S79 and (semantic near3 (link or attribute))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:13

S81	4	((("6210407") or ("6418448")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 10:46
S82	4	((("6240407") or ("6418448")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:51
S83	342	(object near5 (structure or index or schema or layout) near5 (database or knowledge or data\$store or repository)) with (create or make or build or process)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:52
S84	136	S83 and (schema)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 16:52
S85	2	("6138087").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 13:50
S86	629	(xml near5 (web adj service))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 13:53
S87	165	S86 and ((add or remove or delete or create) near (record or node or information or data or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 13:53
S88	1227	(xml same (web adj service))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:04

S89	580	S88 and ((add or remove or delete or create) near3 (record or node or information or data or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 13:59
S90	229	S89 and knowledge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 13:53
S91	27	S88 same ((add or remove or delete or create) near3 (record or node or information or data or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 13:59
S92	24	S88 and @prad<"20010622"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:07
S93	2	("6560633").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 14:11
S94	3157	link near3 (score or strength or relevanc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:12
S95	8496	(link or relationship) near3 (score or strength or relevanc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:12
S96	447	S95 and (((knowledge or neural) adj (base or repository or network)) or semantic or (expert adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:18

S97	230	S96 and ((link or relationship) same (object or node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 17:21
S98	2464	(first and second) near3 query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 15:17
S99	0	S98 and sub\$query and (filter near2 schema)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 15:18
S100	60	S98 and sub\$query and filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 15:18

S10 1	77	(US-20010003817-\$ or US-20010037328-\$ or US-20010053968-\$ or US-20020095411-\$ or US-20020123986-\$ or US-20020161757-\$ or US-20020169771-\$ or US-20020169779-\$ or US-20030004909-\$ or US-20030065663-\$ or US-20030167352-\$ or US-20040010493-\$ or US-20040030421-\$ or US-20040030741-\$ or US-20040161734-\$ or US-20010044791-\$).did. or (US-5228116-\$ or US-5555408-\$ or US-5768578-\$ or US-5787234-\$ or US-5797137-\$ or US-5809297-\$ or US-5819086-\$ or US-5819282-\$ or US-5838965-\$ or US-5873056-\$ or US-5940821-\$ or US-5953718-\$ or US-5963940-\$ or US-5974405-\$ or US-5995955-\$ or US-6006221-\$ or US-6023697-\$ or US-6026388-\$ or US-6038560-\$ or US-6041323-\$ or US-6076088-\$ or US-6122647-\$ or US-6138087-\$ or US-6154213-\$ or US-6169992-\$ or US-6178416-\$). did. or (US-6182062-\$ or US-6182067-\$ or US-6199059-\$ or US-6256627-\$ or US-6263335-\$ or US-6304864-\$ or US-6311194-\$ or US-6389405-\$ or US-6453315-\$ or US-6457002-\$ or US-6460034-\$ or US-6470333-\$ or US-6484155-\$ or US-6519578-\$ or US-6564205-\$ or US-6564209-\$ or US-6609091-\$ or US-6609123-\$ or US-6615208-\$ or US-6636848-\$ or US-6658412-\$ or US-6665659-\$ or US-6665677-\$ or US-6711585-\$ or US-6721726-\$ or US-6741986-\$ or US-6768982-\$). did. or (US-6778951-\$ or US-6823325-\$ or US-6829613-\$ or US-6834287-\$ or US-6842730-\$ or US-6714936-\$ or US-6434546-\$). did. or (US-6311194-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/05/13 16:46
S10 2	2	S101 and ((natural adj language) near (convert or encode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 16:47

S10 3	2	("20010037328").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 17:21
S10 4	2	("6560633").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 18:36
S10 5	2	("6374253").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 18:51
S10 6	222	(redundant or duplicate) near5 (record or object or node) near5 (delete or remove)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 18:52
S10 7	3	S106 and (limit near10 (duplicate or redundant))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 18:52
S10 8	4004	707/104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 20:21
S10 9	2939	707/102.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 20:21